

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24965

Stream : Little Raccoon Creek

Applicant : Sam Kessler
PO Box 236
Ladoga, IN 47954-0236

Description : Approximately 150' of the Little Raccon Creek will be realigned and straightened to 90'. It will have an 8' bottom width and 3:1 sideslopes. Material excavated from the construction of the new channel will be used to fill in approximately 70' of the old channel. A grade stabilization structure will be constructed on the old section of the channel. Details of the project are contained in information and plans received at the Division of Water on August 22, 2008.

Location : Approximately 685' to 850' downstream from the State Route 234 stream crossing
DOWNSTREAM: near Ladoga, Clark Township, Montgomery County
NE¼, NE¼, SE¼, Section 15, T 17N, R 3W, New Ross Quadrangle
Quad Code: 3908686
UTM Coordinates: Downstream 4418301 North, 522768 East
UPSTREAM:
UTM Coordinates: Upstream 4418306 North, 522787 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24968

Stream : Burns Ditch

Applicant : City of Lake Station
Mayor Keith Soderquist
3701 Fairview Avenue
Lake Station, IN 46405-2371

Description : An area measuring approximately 300' x 1200' will be used as the City of Lake Station's compost facility. The area is virtually flat with a slight downward gradient from south to north. The proposal includes removing the top soil from the area and backfilling with clean fill to an elevation not more than 1' above existing grade. A portion of the southern end of the site will have additional fill added in order to allow for storage of equipment, vehicles, and a 30 yard leak proof dumpster. Details of the project are contained in information and plans received at the Division of Water on August 28, 2008.

Location : The site is located in the northernmost part of the City of Lake Station, Hobart Township, Lake County between Burns Ditch on the north and a frontage road for I-80/94 (approximately 21st Avenue) on the south, approximately 3/4 mile east of Clay Street and 1-1/4 miles west of SR 51 (Ripley Street) and bounded by corn fields to the east and west. The site covered by this Permit is approximately 6 acres and approximately 275 feet wide (E-W) and 1000 feet (N-S)
DOWNSTREAM: at Lake Station, Hobart Township, Lake County
E½, NW¼, NE¼, Section 18, T 36N, R 7W, Gary Quadrangle
Quad Code: 4108753
UTM Coordinates: Downstream 4603141 North, 477844 East
UPSTREAM:
UTM Coordinates: Upstream 4603107 North, 477769 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : FW-24970
- Stream : Wabash River
- Applicant : Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street
ICG South, Room 273
Indianapolis, IN 46204-2781
- Description : A public access ramp will be replaced with a new 15' by 96' ramp. Riprap will be placed on both sides of the ramp for approximately 15' of the shoreline. Details of the project are contained in information and plans received at the Division of Water on August 29, 2008.
- Location : Along the right (east) Wabash River bank, approximately 25' downstream of the Miami and Wabash County line
near Peru, Erie Township, Miami County
SE¼, Section 22, T 27N, R 5E, Richvalley Quadrangle
Quad Code: 4008578
UTM Coordinates: Downstream 4514063 North, 589322 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : FW-24974
- Stream : Mud Run
- Applicant : Fountain County Cemetery Commission
Jasper B Fogleman
601A South Home Street
Veedersburg, IN 47987-1613
- Description : Approximately 245' of the Mud Run channel will be realigned and straightened to 75'. The excavated material will be placed along the washed out areas along the cemetery. Details of the project are contained in information and plans received at the Division of Water on September 3, 2008.
- Location : Approximately 1,930' to 2,165' downstream from the West County Home Road stream crossing
near Covington, Troy Township, Fountain County
NE¼, NW¼, NE¼, Section 13, T 20N, R 9W, Covington Quadrangle
Quad Code: 4008724
UTM Coordinates: Downstream 4448350 North, 467323 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24976

Stream : Flatrock River

Applicant : Decatur County Board of Commissioners
Christian H Rauch
Andrew Tungate
781 East Base Road
Greensburg, IN 47240-8121

Description : This project involves the 3R Non-Freeway replacement of Decatur County Bridge 19. The proposed project will replace the existing structure on new horizontal and vertical alignments with a bridge featuring modern safety and structural standards. The new structure will be a continuous composite prestressed concrete I-beam bridge with spans of 20.75m, 22.50m, 20.75m (68.07', 73.82', 68.07') and a clear roadway of 9.4m (30'). Approximately 390.6m (1,282 feet) of the approaches will be reconstructed including 203.8m (669 feet) of the east approach and 186.8m (613 feet) of the west approach. At each end of the project, 15m (50 feet) of incidental construction is provided. The pavement width will be 6.6m (22 feet) consisting of two, 3.3m (11 foot) traffic lanes with 2m (6 foot) earth shoulders. The pavement surface of the approaches will be asphalt. The approaches will be lowered approximately 1.4m (4.6 feet) and 1.5m (5.0 feet) along the west and east approaches, respectively. The horizontal alignment of the project will be shifted a maximum of 5m (16 feet) to the northwest at the west end of Bridge 19. The side slopes will be 2:1 in fill areas and 3:1, 2:1 in cut areas. No curbs, gutters or sidewalks are proposed. The roadway is classified as a minor collector and there is no access control. Details of the project are contained in information received electronically at the Division of Water on September 5, 2008 and in plans and information received at the Division of Water on

Location : Decatur County Bridge 19 carrying County Road 600 N over Flatrock River
near Downeyville, Adams Township, Decatur County
Section 7, T 11N, R 9E, Adams Quadrangle
Quad Code: 3908545

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24979

Stream : Eagle Creek

Applicant : Richard Mack
8911 Summer Estate Drive
Indianapolis, IN 46256

Description : A 1.5 acre irregular shaped pond will be constructed. The pond's bank elevation will remain at the current natural elevation. The pond will have a 10' wide safety ledge gently sloping from the bank to a depth of 3' before descending to a maximum depth of 20' in the center. Details of the project are contained in information and plans received at the Division of Water on September 5, 2008.

Location : Along the right (west) bank of the stream extending approximately 300' to 660' downstream from the County Road 200 south stream crossing
DOWNSTREAM: near Northfield, Union Township, Boone County
NW¼, NW¼, NE¼, Section 15, T 18N, R 2E, Rosston Quadrangle
Quad Code: 4008613
UTM Coordinates: Downstream 4429207 North, 560819 East
UPSTREAM:
UTM Coordinates: Upstream 4429302 North, 560788 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24983

Stream : Little Pigeon Creek

Applicant : City of Boonville
135 South 2nd Street
PO Box 585
Boonville, IN 47601-0585

Description : A 90' by 90' area will be filled in the East floodplain of Little Pigeon Creek for the installation of a new generator for the well field for the City of Boonville. The fill will vary in depth from 0 to 9'. The fill will be located approximately 1 mile away from Little Pigeon Creek and will have 4:1 sideslopes. The finished elevation of the fill will be 392.0', NGVD. The new generator will be constructed on top of the completed fill. The fill material will likely be purchased and trucked in. There will be no alteration to the shoreline as part of this project. 16", 12" and 8" diameter water lines will be placed beneath the ground to provide potable water. The lines will be placed by the trenching method. It will have 3' of cover beneath the ground. The water lines are not going to be installed in any streambed. The lines will be installed within the floodplain of Little Pigeon Creek approximately 1 mile away from the creek. Also as part of this project, two new 500 gallon per minute wells will be constructed for the City of Boonville. The wells will have a diameter of 20" and will be 60' deep. All motors and electrical will be located on a platform above the floodplain. Each well will disturb an area of approximately 30' by 20'. The wells will also be located approximately 1 mile from Little Pigeon Creek. Details of the project are contained in information received electronically at the Division of Water on September 9, 2008 and in plans and information received at the Division of Water on

Location : The well field is located on the south side of CR 500 North just East of CR 850 West
near Richland City, Grass Township, Spencer County
Section 32, T 6S, R 7W, Richland City Quadrangle
Quad Code: 3708782

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24985

Stream : Elkhorn Creek

Applicant : TEPPCO
Wayne Thigpen
P.O. Box 426
Seymour, IN 47274-0426

Description : This project involves the replacement of a valve station. It will be removed and replaced with pipe and a new station will be placed approximately 200' in the same ROW. The work at the new mainline valve site includes the following: excavating TEPPCO's 20" pipeline, installing a stopple fitting to isolate the section of line, draining and purging to remove product and vapor removing a section of the old line, installing new above-grade 20" mainline block and check valves, backfilling and grading around the valve site, painting the new valve and piping, installing a fence and access road. The work at the existing valve site includes the following: excavating TEPPCO's 20" pipeline, installing a stopple fitting to isolate the section of line, draining and purging to remove product and vapor, removing a section of the old line that includes valve, replace with 20" pipeline backfilling and grading around the valve site. Details of the project are contained in information received electronically at the Division of Water on September 11, 2008 and in plans and information received at the Division of Water on

Location : This project is located approximately 300' W of Elkhorn Creek and approximately 30' East of US Highway 52 in the TEPPCO Pipeline Right-Of-Way.
GPS Coordinates 39.32916 -84.898695

Near New Trenton, Whitewater Township, Franklin County
Section 29, T 8N, R 1W, Cedar Grove Quadrangle
Quad Code: 3908438

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24990

Stream : Patoka River

Applicant : Pike County Board of Commissioners
Roger Ham
c/o Pike County Highway Garage
552 North State Road 61
Petersburg, IN 47567-8376

Description : The existing camelback truss bridge carrying Meridian Road over the Patoka River will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a 3-span composite girder bridge with span lengths of 34', 75', and 34'. The structure will have an out-to-out length of 144' and a clear roadway width of 24'. The spill through abutments will have 2.8:1 sideslopes armored with riprap. The abutments and piers will be skewed 0 degrees to align with the streamflow. The new approach roads will be elevated a maximum of 1' above the existing approaches. The existing structure will be completely removed. The project is not federally funded. Details of the project are contained in information received electronically at the Division of Water on September 15, 2008 and in plans and information received at the Division of Water on

Location : The bridge carries Meridian Road across the Patoka River
near Winslow, Patoka Township, Pike County
Section 34, T 1S, R 8W, Petersburg Quadrangle
Quad Code: 3808743

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24991

Stream : David Branch

Applicant : Diane H Straker
689 State Road 135 South
Nashville, IN 47448-9052

Description : The existing 57' steel suspension bridge providing sole access to our residence collapsed. It was replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure is a single span bridge of steel and concrete construction. The structure has an out-to-out length of 57' ft and a clear driveway width of 12'. There were no changes made to the streamflow. The new bridge was raised approximately 12" to provide for more waterway clearance in heavy rains. The existing structure was completely removed. Details of the project are contained in information received electronically at the Division of Water on September 15, 2008 and in plans and information received at the Division of Water on

Location : 689 State Road 135 South
at Nashville, Washington Township, Brown County
Section 28, T 9N, R 3E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21131

Lake : Kuhn Lake

Applicant : Lawrence M Campana
7542 Tanager Street
Hobart, IN 46342-6940

Description : An existing 60' wide by 800' long channel will be dredged. Approximately 4' of accumulated muck and debris will be removed from the channel bed by dredging to a maximum depth of 6' below the lake's legal level at the center of the channel and sloping uniformly to a depth of 3' at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on August 11, 2008 and August 18, 2008.

Location : channel located between Lanes B6A and B6B
near North Webster, Tippecanoe Township, Kosciusko County
W½, NW¼, NW¼, Section 26, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4571751 North, 609730 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21132

Lake : Steinbarger Lake

Applicant : Karl A Schultise
9917 Bentley Woods Drive
Fort Wayne, IN 46825-1516

Description : A new concrete seawall will be constructed across 70' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 12, 2008.

Location : 9412 North Steinbarger Lake Road; Lot 1 of Idlewild Retreat
near Rome City, Orange Township, Noble County
NE¼, NE¼, SW¼, Section 18, T 35N, R 10E, Albion Quadrangle
Quad Code: 4108544
UTM Coordinates: Downstream 4594023 North, 632204 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21143

Lake : Upper Long Lake

Applicant : Shady Haven Resort
Jim Horn, Park Manager
3100 West Baseline Road
Albion, IN 46701-9598

Description : The purpose of this project is to remove accumulated sediment in approximately 1300' of the channel. Approximately 4' of accumulated muck and debris will be removed from the channel beds by dredging to a depth of 6' below the legal level of the lake at the center of the channel and sloping uniformly to a depth of 3-6" at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Water from the containment area will be allowed to return to the lake through various filtering mechanisms. Details of the project are contained in information and plans received at the Division of Water on August 15, 2008, September 8, 2008 and September 10, 2008.

Location : Beginning at the sand bar in Upper Long Lake at the mouth of the recreational channel & continue upstream to the top end near Wolf Lake
near Wolf Lake, York Township, Noble County
SE¼, Section 33, T 34N, R 9E, Merriam Quadrangle
Quad Code: 4108534
UTM Coordinates: Downstream 4579081 North, 627015 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21145

Lake : Simonton Lake

Applicant : Amos Concrete Construction
Dennis L Amos
21692-A State Line Road
Bristol, IN 46507-8340

Description : A new concrete seawall will be constructed across 82' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 18, 2008.

Location : 26077 Lake Drive
near Elkhart, Osolo Township, Elkhart County
SE¼, SE¼, NE¼, Section 17, T 38N, R 5E, Elkhart Quadrangle
Quad Code: 4108568
UTM Coordinates: Downstream 4622177 North, 585812 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21146

Lake : Crooked Lake

Applicant : Georgiana Mason
15 Ln 350 Crooked Lake
Angola, IN 46703-9062

Description : A new concrete seawall will be constructed across 90' of the applicant's 90' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 18, 2008 and September 10, 2008.

Location : Beginning approximately 60' east and 110' north of the West Sycamore Beach Road and Lane 345 intersection and continuing 90' along the properties frontage near Angola, Pleasant Township, Steuben County
SE¼, NE¼, SE¼, Section 8, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4615649 North, 662311 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21147

Lake : Bear Lake

Applicant : Douglas Wetzel
1716 Whitewater Court
Fort Wayne, IN 46825-5971

Description : A 17' by 24' underwater beach will be constructed across 17' of the applicant's 63' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on August 18, 2008.

Location : 1946 South 4th Street; Lot 1 of Sandy Beach
near Albion, Noble Township, Noble County
SE¼, SW¼, SW¼, Section 8, T 33N, R 9E, Ormas Quadrangle
Quad Code: 4108535
UTM Coordinates: Downstream 4575891 North, 624304 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21149

Lake : Big Long Lake

Applicant : Sharon Ann Dhillon
9895 East 645 South
Wolcottville, IN 46795-8735

Description : A glacial stone seawall will be refaced with a layer of glacial stone across 86' of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on August 19, 2008.

Location : 9895 East 645 South; Lots 10 and 11 of Tall Timber Addition
near South Milford, Milford Township, LaGrange County
NW¼, SE¼, NE¼, Section 27, T 36N, R 11E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4601466 North, 647189 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21150

Lake : Cedar Lake

Applicant : DJ Cedar Lake LLC
Jason Weisler
1000 East 80th Place, Suite 700 North
Merrillville, IN 46410-5608

Description : A temporary group pier will be placed in front of the applicant's property. The pier will extend 200' lakeward of, and perpendicular to, the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 20, 2008.

Location : Approximately 150' north and 25' west of the East Lakeshore Drive and West 138th Lane intersection and extending 200' lakeward from the shore
near Cedar Lake, Center Township, Lake County
S½, N½, SW¼, Section 26, T 34N, R 9W, Lowell Quadrangle
Quad Code: 4108734
UTM Coordinates: Downstream 4579620 North, 464370 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21152

Lake : Blue Lake

Applicant : Kenneth K Garrison
6972 East 575 North
Churubusco, IN 46723

Description : A new riprap seawall will be constructed across 170' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on August 22, 2008.

Location : 6974 East 575 North
near Churubusco, Smith Township, Whitley County
SW¼, NE¼, SW¼, Section 10, T 32N, R 10E, Churubusco Quadrangle
Quad Code: 4108523
UTM Coordinates: Downstream 4566997 North, 637511 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21160

Lake : South Mud Lake

Applicant : Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street
ICG South, Room 273
Indianapolis, IN 46204-2781

Description : A new steel sheet piling seawall will be constructed across 12' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. An approximate 10' wide by 20' long by 3' deep area will be dredged in front of the new ADA launch pad to allow adequate boat access. A two (2) 10' long new glacial stone seawalls will be constructed across 20' of the applicant's frontage. The new walls will be placed along both sides of the new steel sheet piling seawall. The lakeward face of the walls will be located along the lake's legal shoreline. The existing concrete boat ramp will remain in place. Details of the project are contained in information and plans received at the Division of Water on August 28, 2008.

Location : At the existing DNR public access site
near Fulton, Liberty Township, Fulton County
SE¼, SW¼, SE¼, Section 16, T 29N, R 3E, Macy Quadrangle
Quad Code: 4008682
UTM Coordinates: Downstream 4533922 North, 567867 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21161

Lake : Westler Lake

Applicant : Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street
ICG South, Room 273
Indianapolis, IN 46204-2781

Description : The existing concrete boat ramp, ADA pad and ramp will be replaced with a 15' wide by 88' long concrete boat ramp across 15' of the applicant's 87' frontage. The ramp will extend approximately 44' lakeward of the lake's legal shoreline and 44' landward of the lake's legal shoreline. In addition, new glacial stone seawalls will be constructed across 60' of the applicant's 87' frontage. The new seawalls will be constructed along the lake's legal shoreline. Also, a new 12' steel sheet piling seawall will be constructed across 12' of the applicant's 87' frontage to serve as a new ADA concrete pad constructed on top and landward of the new seawall. In addition, a 10' wide by 40' long by 3' deep area will be dredged in front of the new ADA pad to provide appropriate boat access. Details of the project are contained in information and plans received at the Division of Water on August 28, 2008.

Location : At the existing DNR public access site
near Wolcottville, Johnson Township, LaGrange County
SE¼, NE¼, NW¼, Section 32, T 36N, R 10E, Oliver Lake Quadrangle
Quad Code: 4108554
UTM Coordinates: Downstream 4599723 North, 633862 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21164

Lake : Kreighbaum Lake

Applicant : David & Jacqueline Wright
Jacqueline Wright
17235 Tomahawk Trail
Plymouth, IN 46563-8159

Description : Purple loosestrife will be removed from the lake by dredging and by hand. Details of the project are contained in information received electronically at the Division of Water on September 2, 2008 and in plans and information received at the Division of Water on September 3, 2008.

Location : 17235 Tomahawk Trail
near Plymouth, West Township, Marshall County
Section 22, T 33N, R 1E, Plymouth Quadrangle
Quad Code: 4108633
UTM Coordinates: Downstream 4572171 North, 551203 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21165

Lake : Mill Pond

Applicant : David & Jacqueline Wright
Jacqueline Wright
17235 Tomahawk Trail
Plymouth, IN 46563-8159

Description : Purple loosestrife will be removed from the lake by dredging and by hand. Details of the project are contained in information and plans received at the Division of Water on September 2, 2008 and September 3, 2008.

Location : 17235 Tomahawk Trail
near Plymouth, West Township, Marshall County
Section 22, T 33N, R 1E, Plymouth Quadrangle
Quad Code: 4108633
UTM Coordinates: Downstream 4572121 North, 551182 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21167

Lake : Indiana Lake

Applicant : Harvey Restaino
50667 Indiana Lake Road
Bristol, IN 46507-8808

Description : An existing seawall will be refaced with a layer of concrete across 64' of the applicant's frontage. The reface will have a maximum thickness of 12". A 1' wide layer of riprap will be placed at the base of the seawall reface as toe protection. Details of the project are contained in information and plans received at the Division of Water on September 4, 2008.

Location : 50667 Indiana Lake Road
near Bristol, Washington Township, Elkhart County
NE¼, SW¼, SW¼, Section 10, T 38N, R 6E, Mottville, MI-IN Quadrangle
Quad Code: 4108577
UTM Coordinates: Downstream 4623501 North, 597249 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21171

Lake : Bass Lake

Applicant : Bruce F Moticka
1811 West Cuyler Avenue
Chicago, IL 60613

Description : A new seawall will be constructed across 50' of the 50' frontage of the applicant along Bass Lake to deter shoreline erosion. The wall will consist of concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 13" from top to 30" from the base. The lakeward face of the wall will be average normal shoreline. Details of the project are contained in information received electronically at the Division of Water on September 8, 2008 and in plans and information received at the Division of Water on

Location : 5382 South County Road 210; Larimers Lot 85,
near Knox, California Township, Starke County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21172

Lake : Irish Lake

Applicant : James Haney
84 EMS B40D Lane
Leesburg, IN 46538-9436

Description : An existing concrete seawall will be refaced with a layer of concrete across 70' of the applicant's frontage. The reface layer will be keyed to the walls lakward face. Details of the project are contained in information and plans received at the Division of Water on September 8, 2008.

Location : 84 EMS B40d Lane
near North Webster, Tippecanoe Township, Kosciusko County
NE¼, SE¼, SE¼, Section 20, T 32N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4572487 North, 606213 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-21175

Lake : Winona Lake

Applicant : Bob & Karol Piecuch
1300 Court Street
Winona Lake, IN 46590-1039

Description : An existing concrete seawall will be refaced across a portion of the 190' frontage of the applicant on Winona Lake to prevent deterioration. The refacing will consist of re-enforced concrete which will be tied to the existing wall with 1/2 inch re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 48" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. The existing wall has sheet metal and concrete against it all ready. This will be removed and hauled to an upland source,so existing wall can be refaced. Details of the project are contained in information received electronically at the Division of Water on September 11, 2008 and in plans and information received at the Division of Water on

Location : 1300 Court Street, Winona Lake
near Winona Lake, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11